

2024/25	Presale						L&S		Colour	
	Lots	Bales	Lot Size	Bale Wt (kg)	Weight (T)	Rapid (%)	Lots	AR (%)	Lots	AR (%)
Queensland	428	2,805	6.55	182.2	511.2	11.0	330	77.1	0	0.0
NSW	10,482	57,736	5.51	177.7	10,259.4	26.0	5,821	55.5	0	0.0
Victoria	7,177	42,667	5.94	177.8	7,585.1	27.1	3,971	55.3	0	0.0
Tasmania	682	4,058	5.95	173.1	702.6	16.0	273	40.0	0	0.0
SA	3,756	23,214	6.18	182.9	4,245.5	28.7	2,527	67.3	0	0.0
WA	5,101	36,072	7.07	178.8	6,449.3	85.5	3,928	77.0	0	0.0
<b>Australia</b>	<b>27,626</b>	<b>166,552</b>	<b>6.03</b>	<b>178.6</b>	<b>29,753.0</b>	<b>37.2</b>	<b>16,850</b>	<b>61.0</b>	<b>0</b>	<b>0.0</b>
Fleece	15,862	108,568	6.84	180.8	19,624.4	37.1	12,632	79.6	0	0.0
Skirting	6,409	30,865	4.82	176.0	5,431.6	37.5	3,447	53.8	0	0.0
Carding	5,355	27,119	5.06	173.2	4,696.9	36.9	771	14.4	0	0.0
2025/26	Lots	Bales	Lot Size	Bale Wt (kg)	Weight (T)	Rapid (%)	Lots	AR (%)	Lots	AR (%)
Queensland	429	2,843	6.63	179.1	509.3	12.6	307	71.6	0	0.0
NSW	9,005	47,621	5.29	178.3	8,488.5	30.6	5,502	61.1	0	0.0
Victoria	6,803	39,785	5.85	177.6	7,065.7	30.9	3,606	53.0	0	0.0
Tasmania	627	3,241	5.17	173.0	560.8	20.1	240	38.3	0	0.0
SA	3,526	21,086	5.98	182.4	3,846.8	40.5	2,372	67.3	0	0.0
WA	4,931	34,848	7.07	179.1	6,240.8	99.8	3,774	76.5	0	0.0
<b>Australia</b>	<b>25,321</b>	<b>149,424</b>	<b>5.90</b>	<b>178.8</b>	<b>26,711.9</b>	<b>45.0</b>	<b>15,801</b>	<b>62.4</b>	<b>0</b>	<b>0.0</b>
Fleece	14,640	98,527	6.73	181.0	17,838.1	45.6	11,803	80.6	0	0.0
Skirting	5,818	26,881	4.62	176.1	4,734.5	43.7	3,211	55.2	0	0.0
Carding	4,863	24,016	4.94	172.4	4,139.3	44.5	787	16.2	0	0.0
Differences	Lots (%)	Bales (%)	Lot Size	Bale Wt (%)	Weight (%)	Rapid	Lots (%)	AR	Lots (%)	AR
Queensland	0.2	1.4	0.08	-1.7	-0.4	1.6	-7.0	-5.5	0.0	0.0
NSW	-14.1	-17.5	-0.22	0.3	-17.3	4.5	-5.5	5.6	0.0	0.0
Victoria	-5.2	-6.8	-0.09	-0.1	-6.8	3.9	-9.2	-2.3	0.0	0.0
Tasmania	-8.1	-20.1	-0.78	-0.1	-20.2	4.1	-12.1	-1.7	0.0	0.0
SA	-6.1	-9.2	-0.20	-0.3	-9.4	11.8	-6.1	0.0	0.0	0.0
WA	-3.3	-3.4	0.00	0.2	-3.2	14.4	-3.9	-0.5	0.0	0.0
<b>Australia</b>	<b>-8.3</b>	<b>-10.3</b>	<b>-0.13</b>	<b>0.1</b>	<b>-10.2</b>	<b>7.8</b>	<b>-6.2</b>	<b>1.4</b>	<b>0.0</b>	<b>0.0</b>
Fleece	-7.7	-9.2	-0.11	0.1	-9.1	8.5	-6.6	1.0	0.0	0.0
Skirting	-9.2	-12.9	-0.20	0.1	-12.8	6.3	-6.8	1.4	0.0	0.0
Carding	-9.2	-11.4	-0.12	-0.5	-11.9	7.6	2.1	1.8	0.0	0.0

## Test Results

2024/25	Yield	VM	MFD	CVD	SL	CVSL	SS	CVSS	Mid Break	Tip Break	Hauteur	Y	Y-Z
Queensland	61.5	4.3	19.0	20.1	85.1	15.4	33.4	34.5	42.9	10.8	68.9	0.0	0.0
NSW	63.9	2.8	20.5	21.0	83.0	15.4	34.5	32.1	49.4	21.0	66.7	0.0	0.0
Victoria	64.2	1.8	21.7	22.4	84.9	15.6	31.0	36.4	53.1	26.0	66.9	0.0	0.0
Tasmania	69.5	0.9	24.0	23.3	86.1	16.1	32.1	32.9	47.4	29.6	67.8	0.0	0.0
SA	59.3	2.5	20.1	21.3	85.0	14.8	31.9	36.6	47.1	27.2	67.8	0.0	0.0
WA	60.5	2.2	18.9	21.0	84.7	16.1	28.9	38.4	41.5	33.5	67.2	0.0	0.0
<b>Australia</b>	<b>62.7</b>	<b>2.4</b>	<b>20.5</b>	<b>21.4</b>	<b>84.2</b>	<b>15.5</b>	<b>31.8</b>	<b>35.5</b>	<b>47.5</b>	<b>26.3</b>	<b>67.1</b>	<b>0.0</b>	<b>0.0</b>
Fleece	65.5	1.5	20.6	20.7	86.7	14.6	33.1	35.3	47.8	27.2	70.3	0.0	0.0
Skirting	53.6	5.1	19.1	21.9	77.4	19.9	26.0	40.4	51.5	20.3	56.6	0.0	0.0
Carding	61.6	2.8	21.5	24.0	61.2	17.1	29.1	19.9	24.7	33.1	45.3	0.0	0.0
2025/26	Yield	VM	MFD	CVD	SL	CVSL	SS	CVSS	Mid Break	Tip Break	Hauteur	Y	Y-Z
Queensland	61.1	4.3	19.5	20.3	89.7	15.3	36.4	34.8	39.6	8.5	73.9	0.0	0.0
NSW	62.1	3.1	20.4	21.4	82.4	15.2	33.8	32.9	49.2	20.6	65.6	0.0	0.0
Victoria	64.0	2.2	22.2	23.0	85.4	15.8	31.6	36.5	44.1	34.8	68.2	0.0	0.0
Tasmania	69.4	0.9	23.9	23.6	86.3	15.7	34.4	33.4	53.2	26.2	68.7	0.0	0.0
SA	59.4	2.7	20.6	21.5	84.2	14.7	34.7	34.8	44.9	28.7	68.5	0.0	0.0
WA	61.4	2.3	19.3	20.6	86.1	16.5	30.6	37.8	42.1	32.4	69.0	0.0	0.0
<b>Australia</b>	<b>62.2</b>	<b>2.6</b>	<b>20.7</b>	<b>21.7</b>	<b>84.5</b>	<b>15.6</b>	<b>32.7</b>	<b>35.4</b>	<b>45.3</b>	<b>27.9</b>	<b>67.8</b>	<b>0.0</b>	<b>0.0</b>
Fleece	64.9	1.7	20.8	20.9	87.2	14.7	34.1	35.4	45.6	29.0	71.4	0.0	0.0
Skirting	52.8	5.7	19.2	22.2	77.3	20.1	26.2	39.4	49.8	21.1	55.5	0.0	0.0
Carding	61.3	2.9	21.9	24.3	60.5	17.3	29.1	19.2	22.3	32.5	43.7	0.0	0.0
Differences	Yield	VM	MFD	CVD	SL	CVSL	SS	CVSS	Mid Break	Tip Break	Hauteur	Y	Y-Z
Queensland	-0.4	0.0	0.5	0.2	4.6	-0.1	3.0	0.3	-3.3	-2.3	5.0	0.0	0.0
NSW	-1.8	0.3	-0.1	0.4	-0.6	-0.2	-0.7	0.8	-0.2	-0.4	-1.1	0.0	0.0
Victoria	-0.2	0.4	0.5	0.6	0.5	0.2	0.6	0.1	-9.0	8.8	1.3	0.0	0.0
Tasmania	-0.1	0.0	-0.1	0.3	0.2	-0.4	2.3	0.5	5.8	-3.4	0.9	0.0	0.0
SA	0.1	0.2	0.5	0.2	-0.8	-0.1	2.8	-1.8	-2.2	1.5	0.7	0.0	0.0
WA	0.9	0.1	0.4	-0.4	1.4	0.4	1.7	-0.6	0.6	-1.1	1.8	0.0	0.0
<b>Australia</b>	<b>-0.5</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.3</b>	<b>0.1</b>	<b>0.9</b>	<b>-0.1</b>	<b>-2.2</b>	<b>1.6</b>	<b>0.7</b>	<b>0.0</b>	<b>0.0</b>
Fleece	-0.6	0.2	0.2	0.2	0.5	0.1	1.0	0.1	-2.2	1.8	1.1	0.0	0.0
Skirting	-0.8	0.6	0.1	0.3	-0.1	0.2	0.2	-1.0	-1.7	0.8	-1.1	0.0	0.0
Carding	-0.3	0.1	0.4	0.3	-0.7	0.2	0.0	-0.7	-2.4	-0.6	-1.6	0.0	0.0

2024/25	Superfine Production					Percentage of Total Clip				
	0.0-16.5 (T)	16.6-17.5 (T)	17.6-18.5 (T)	18.6-19.5 (T)	0.0-19.5 (T)	0.0-16.5 (%)	16.6-17.5 (%)	17.6-18.5 (%)	18.6-19.5 (%)	0.0-19.5 (%)
Queensland	27.3	67.2	100.6	114.8	309.9	5.3	13.1	19.7	22.5	60.6
NSW	713.6	1,399.9	1,726.2	1,763.0	5,602.8	7.0	13.6	16.8	17.2	54.6
Victoria	834.0	1,096.4	1,144.6	840.5	3,915.5	11.0	14.5	15.1	11.1	51.6
Tasmania	67.2	111.3	62.9	23.3	264.8	9.6	15.8	8.9	3.3	37.7
SA	222.4	378.2	702.3	1,007.6	2,310.5	5.2	8.9	16.5	23.7	54.4
WA	199.4	895.4	1,874.4	1,862.2	4,831.4	3.1	13.9	29.1	28.9	74.9
<b>Australia</b>	<b>2,063.9</b>	<b>3,948.4</b>	<b>5,610.9</b>	<b>5,611.5</b>	<b>17,234.8</b>	<b>6.9</b>	<b>13.3</b>	<b>18.9</b>	<b>18.9</b>	<b>57.9</b>
Fleece	1,128.7	2,253.1	3,492.1	3,993.7	10,867.7	5.8	11.5	17.8	20.4	55.4
Skirting	584.4	1,027.0	1,394.6	1,166.7	4,172.6	10.8	18.9	25.7	21.5	76.8
Carding	350.9	668.4	724.2	451.1	2,194.5	7.5	14.2	15.4	9.6	46.7
2025/26	0.0-16.5 (T)	16.6-17.5 (T)	17.6-18.5 (T)	18.6-19.5 (T)	0.0-19.5 (T)	0.0-16.5 (%)	16.6-17.5 (%)	17.6-18.5 (%)	18.6-19.5 (%)	0.0-19.5 (%)
Queensland	20.0	38.3	53.0	168.4	279.7	3.9	7.5	10.4	33.1	54.9
NSW	724.6	1,379.5	1,480.3	1,424.3	5,008.7	8.5	16.3	17.4	16.8	59.0
Victoria	483.5	1,010.8	1,125.2	822.7	3,442.2	6.8	14.3	15.9	11.6	48.7
Tasmania	38.6	85.9	59.7	16.1	200.3	6.9	15.3	10.6	2.9	35.7
SA	143.1	313.6	556.4	905.4	1,918.4	3.7	8.2	14.5	23.5	49.9
WA	158.6	613.6	1,289.2	1,943.8	4,005.2	2.5	9.8	20.7	31.1	64.2
<b>Australia</b>	<b>1,568.5</b>	<b>3,441.7</b>	<b>4,563.8</b>	<b>5,280.6</b>	<b>14,854.5</b>	<b>5.9</b>	<b>12.9</b>	<b>17.1</b>	<b>19.8</b>	<b>55.6</b>
Fleece	811.2	2,064.9	2,768.8	3,847.4	9,492.4	4.5	11.6	15.5	21.6	53.2
Skirting	499.8	851.7	1,241.3	1,009.2	3,602.1	10.6	18.0	26.2	21.3	76.1
Carding	257.5	525.0	553.7	424.0	1,760.1	6.2	12.7	13.4	10.2	42.5
Differences	0.0-16.5 (%)	16.6-17.5 (%)	17.6-18.5 (%)	18.6-19.5 (%)	0.0-19.5 (%)	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
Queensland	-26.7	-43.0	-47.3	46.7	-9.7	-1.4	-5.6	-9.3	10.6	-5.7
NSW	1.5	-1.5	-14.2	-19.2	-10.6	1.5	2.7	0.6	-0.4	4.4
Victoria	-42.0	-7.8	-1.7	-2.1	-12.1	-4.2	-0.2	0.8	0.5	-2.9
Tasmania	-42.6	-22.8	-5.1	-30.9	-24.4	-2.7	-0.5	1.7	-0.4	-2.0
SA	-35.7	-17.1	-20.8	-10.1	-17.0	-1.5	-0.7	-2.0	-0.2	-4.5
WA	-20.5	-31.5	-31.2	4.4	-17.1	-0.6	-4.1	-8.4	2.2	-10.7
<b>Australia</b>	<b>-24.0</b>	<b>-12.8</b>	<b>-18.7</b>	<b>-5.9</b>	<b>-13.8</b>	<b>-1.0</b>	<b>-0.4</b>	<b>-1.8</b>	<b>0.9</b>	<b>-2.3</b>
Fleece	-28.1	-8.4	-20.7	-3.7	-12.7	-1.3	0.1	-2.3	1.2	-2.2
Skirting	-14.5	-17.1	-11.0	-13.5	-13.7	-0.2	-0.9	0.5	-0.2	-0.7
Carding	-26.6	-21.5	-23.5	-6.0	-19.8	-1.3	-1.5	-2.0	0.6	-4.2

2024/25	Ultrafine Production					Percentage of Total Clip				
	0.0-12.5 (T)	12.6-13.5 (T)	13.6-14.5 (T)	14.6-15.5 (T)	15.6-16.5 (T)	0.0-12.5 (%)	12.6-13.5 (%)	13.6-14.5 (%)	14.6-15.5 (%)	15.6-16.5 (%)
Queensland	0.0	0.0	0.7	11.7	14.8	0.0	0.0	0.1	2.3	2.9
NSW	0.2	0.0	5.1	99.3	609.0	0.0	0.0	0.0	1.0	5.9
Victoria	0.0	0.2	11.4	169.3	653.2	0.0	0.0	0.1	2.2	8.6
Tasmania	0.0	0.0	0.2	11.3	55.8	0.0	0.0	0.0	1.6	7.9
SA	0.0	0.0	1.6	32.1	188.6	0.0	0.0	0.0	0.8	4.4
WA	0.0	0.0	0.0	15.3	184.0	0.0	0.0	0.0	0.2	2.9
<b>Australia</b>	<b>0.2</b>	<b>0.2</b>	<b>19.0</b>	<b>339.0</b>	<b>1,705.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>1.1</b>	<b>5.7</b>
Fleece	0.2	0.2	13.5	173.4	941.4	0.0	0.0	0.1	0.9	4.8
Skirting	0.0	0.0	4.4	107.6	472.4	0.0	0.0	0.1	2.0	8.7
Carding	0.0	0.0	1.1	58.1	291.7	0.0	0.0	0.0	1.2	6.2
2025/26	0.0-12.5 (T)	12.6-13.5 (T)	13.6-14.5 (T)	14.6-15.5 (T)	15.6-16.5 (T)	0.0-12.5 (%)	12.6-13.5 (%)	13.6-14.5 (%)	14.6-15.5 (%)	15.6-16.5 (%)
Queensland	0.0	0.0	0.1	5.2	14.7	0.0	0.0	0.0	1.0	2.9
NSW	0.0	0.4	4.4	121.4	598.4	0.0	0.0	0.1	1.4	7.0
Victoria	0.4	0.8	6.0	83.9	392.4	0.0	0.0	0.1	1.2	5.6
Tasmania	0.0	0.0	0.0	1.4	37.3	0.0	0.0	0.0	0.2	6.7
SA	0.0	0.0	0.0	16.1	127.0	0.0	0.0	0.0	0.4	3.3
WA	0.0	0.0	0.0	8.4	150.2	0.0	0.0	0.0	0.1	2.4
<b>Australia</b>	<b>0.4</b>	<b>1.2</b>	<b>10.5</b>	<b>236.4</b>	<b>1,320.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.9</b>	<b>4.9</b>
Fleece	0.4	1.0	6.0	120.2	683.5	0.0	0.0	0.0	0.7	3.8
Skirting	0.0	0.2	3.4	82.7	413.5	0.0	0.0	0.1	1.7	8.7
Carding	0.0	0.0	1.1	33.5	222.9	0.0	0.0	0.0	0.8	5.4
Differences	0.0-12.5 (%)	12.6-13.5 (%)	13.6-14.5 (%)	14.6-15.5 (%)	15.6-16.5 (%)	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
Queensland	0.0	0.0	-85.7	-55.6	-0.7	0.0	0.0	-0.1	-1.3	0.0
NSW	-100.0	0.0	-13.7	22.3	-1.7	0.0	0.0	0.1	0.4	1.1
Victoria	0.0	300.0	-47.4	-50.4	-39.9	0.0	0.0	0.0	-1.0	-3.0
Tasmania	0.0	0.0	-100.0	-87.6	-33.2	0.0	0.0	0.0	-1.4	-1.2
SA	0.0	0.0	-100.0	-49.8	-32.7	0.0	0.0	0.0	-0.4	-1.1
WA	0.0	0.0	0.0	-45.1	-18.4	0.0	0.0	0.0	-0.1	-0.5
<b>Australia</b>	<b>100.0</b>	<b>500.0</b>	<b>-44.7</b>	<b>-30.3</b>	<b>-22.6</b>	<b>0.0</b>	<b>0.0</b>	<b>-0.1</b>	<b>-0.2</b>	<b>-0.8</b>
Fleece	100.0	400.0	-55.6	-30.7	-27.4	0.0	0.0	-0.1	-0.2	-1.0
Skirting	0.0	0.0	-22.7	-23.1	-12.5	0.0	0.0	0.0	-0.3	0.0
Carding	0.0	0.0	0.0	-42.3	-23.6	0.0	0.0	0.0	-0.4	-0.8



**AWTA  
LIMITED**

## Key Test Data Summary via Wool Statistical Area

*March, 2025/26*

**Note:**

Differences for lots, bales, average bale weight, weight, projected weight (if available), Staple and Colour are percent differences.

Differences for lot size (Bales/Lot), Rapid and AR are actual values.

Adoption Rate (AR) data is based on number of bales tested as a percentage of number of bales tested for yield.

Adoption Rate (AR) for Staple and Colour data is based on all wool tested.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

Please note the data contained in this report may be year-to-date or month-to-date Key Test data due to the period and criteria selected.